


Analyzing merge sort

	$T(n)$		MERGE-SORT $A[1 \dots n]$
	$\Theta(1)$		1. If $n = 1$, done.
<i>Abuse</i> ↗	$2T(n/2)$		2. Recursively sort $A[1 \dots \lceil n/2 \rceil]$ and $A[\lceil n/2 \rceil + 1 \dots n]$.
	$\Theta(n)$		3. “Merge” the 2 sorted lists


Sloppiness: Should be $T(\lceil n/2 \rceil) + T(\lfloor n/2 \rfloor)$,
but it turns out not to matter asymptotically.



Recurrence for merge sort


$$T(n) = \begin{cases} \Theta(1) & \text{if } n = 1; \\ 2T(n/2) + \Theta(n) & \text{if } n > 1. \end{cases}$$

- We shall usually omit stating the base case when $T(n) = \Theta(1)$ for sufficiently small n , but only when it has no effect on the asymptotic solution to the recurrence.
- CLRS and Lecture 2 provide several ways to find a good upper bound on $T(n)$.



Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.



Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.


$$T(n)$$



Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree


Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.






Recursion tree

Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.





Recursion tree

Solve $T(n) = 2T(n/2) + cn$, where $c > 0$ is constant.

